ON AIR

FIELD STRENGTH / SWR TESTER
REF
FWD
CAL
MICRONTA

KENWOOD
SP-230
INPUT
PHONES
FILTERS
LOW
HIGH 1
HIGH 2
PUSH ON

KENWOOD
ANTENNA TUNER
200W
FWD
POWER
CAL
CAL
20W
REF
SWR
R TUNE
X TUNE
ANT 3
ANT 2
ANT 1
DUM
ANT 1
ANT 2
ANT 3
THROUGH
MATCHING
ANTENNA
BAND

POWER
INTENSITY
FOCUS
FUNCTION
RF ATT
TONE (Hz)
OUT
SYNC SCAN
/MKR WIDTH
V. ATT
V. GAIN
V. INPUT
SWEEP RANGE
SWEEP VARI/
EXT. GAIN
KENWOOD
STATION MONITOR SM-220

MAIN
VFO
MEMORY CH
RIT
FUNCTION
RECEIVE
MAIN
VFO
MEMO
TRANSMIT
MAIN
VFO
MEMO
T-F SET
RIT
LOCK
KENWOOD
VFO-230

KENWOOD
PHONE PATCH CONTROLLER PC-1
MIC
RX GAIN
TX GAIN
PATCH
ON
OFF
MONI/NULL

AV-800 T.V. INTERFERENCE FILTER
LOW PASS
IMPEDANCE = 50 OHMS
LINE LOSS = NEGLIGIBLE
V.S.W.R. = 1.1:1
3db CUTOFF FREQ. = 43 MHz
ESPECIALLY USEFUL FOR INTERFERENCE ON CH 2 and 5
ATTENUATION ON CH 2 (54 MHz) = 60 db 1000 Watt Cap.
INSTALL IN COAXIAL LINE FROM TRANSCEIVER ■ DO NOT OPEN COVER OR WARRANTY VOID
avanti
RESEARCH & DEVELOPMENT, INC.
ADDISON, ILLINOIS
MADE IN U.S.A.

1000 WATTS
DRY DUMMY LOAD
INPUT
MODEL
MFJ-262
MFJ ENTERPRISES, INC.
STARKVILLE, MS., USA

ON
OFF
ASTRON
RS-20M
VOLTS
AMPS
DC
ASTRON

WORLD CLOCK
HC-10
KENWOOD

LOW
BATT
SWR
HF WATTMETER
MP1
RANGE
OFF
PEAK
FWD
SWR CAL

LOAD
PLATE
DRIVE
METER
AGC